

Installing RRDtool on Mac OS X 10.6.x

- 1. - Introduction**
- 2. - Requirements**
- 3. - Getting and installing the required components**
- 4. - Installing RRDtool**
- 5. - Caveats - READ this chapter!**

DISCLAIMER: The author(s) claim(s) no responsibility for any damage that may occur from the use of any information found here or found on links followed from this document. The author(s) will take credit for the good stuff though.

All items and/or companies mentioned on this and other pages are or may be trademarks, registered trademarks, or service marks of the respective companies or individuals.

1. - Introduction

The purpose of this document is to provide instructions on how to install RRDtool on OS X 10.6.x Server.

You will not find many explanations as to why something is done one way or the other. There are plenty of tutorials on this around on the internet. This document should just help you in getting things done.

RRDtool depends on other libraries to be installed first. These include: zlib, libpng, freetype, libart_lgpl. Freetype and libpng are part of Apple's X11 distribution. zlib is already part of OS X 10.6. Server.

This document will require you to use the command line. If you do not feel comfortable with using the command line, you should look for a ready made installer package or for somebody to assist you.

This document is written for Mac OS X 10.6.x. If you use 10.5.x or 10.4.x, see the documents written for 10.5.x and 10.4.x respectively.

DISCLAIMER: Whatever you do based on this document, you do it at your own risk! Just in case you haven't understood: Whatever you do based on this document, you do it at your own risk!

This tutorial has been tested on a standard Mac OS X 10.6.x Server installation. If you have already tinkered with your system, be aware that things might differ. It is impossible for me to foresee all changes that one might have applied to a server.

This tutorial contains step-by-step instructions for the terminal. Although you could just type them in line by line, it is recommended you have a basic understanding of the terminal.

2. - Requirements

Before you get started, you need to make sure some basic requirements are met:

- You have made a backup of your system.
- You have the latest version of Apple's Developer Tools (XCode 3.2 or higher for 10.6) installed.
Dev Tools are available on your Server DVD and as a free download from Apple's Developer Connection.
- X11 is installed (part of standard OS X Server install unless you deselect it)
- X11 SDK is installed (available on your OS X Developer Tools Disc or Image and part of the standard XCode installation. This is different from the X11 client that comes with OS X.)
- You do have a backup
- You are running Mac OS X Server 10.6 or greater
- You have not manually updated anything related to zlib, libpng, libart_lgpl and freetype so far (if you have, you must know how to adapt these instructions to the changes you made).

3. - Getting and installing the required components

This chapter will guide you through installing lib_art. This library is required for RRDtool to work.

So let's get going:

Make sure you are logged in as root.

Get and install the latest version of the library by issuing the following commands (*in oblique type*). Issue them one after the other making sure you do not miss any dots or slashes. Also note that the download URLs may change in the future. In that case just replace the URLs in this document with the current one. Lines wrapping without line spacing are a single command.

(First we create our environment)

```
mkdir -p /SourceCache
```

```
cd /SourceCache
```

(Now we get the libraries and unpack them.)

```
curl -O http://oss.oetiker.ch/rrdtool/pub/libs/libart_lgpl-2.3.17.tar.gz
```

(Do not use version 2.3.3)

```
tar xzpf libart_lgpl-2.3.17.tar.gz
```

(Now we install libart_lgpl)

```
cd /SourceCache/libart_lgpl-2.3.17
```

```
MACOSX_DEPLOYMENT_TARGET=10.6 CFLAGS=" -arch i386 -arch x86_64 -arch ppc -g -Os -pipe -no-cpp-precomp" CCFLAGS=" -arch i386 -arch x86_64 -arch ppc -g -Os -pipe" CXXFLAGS=" -arch i386 -arch x86_64 -arch ppc -g -Os -pipe" LDFLAGS=" -arch i386 -arch x86_64 -arch ppc -bind_at_load" ./configure --disable-shared --prefix=/usr/local --disable-dependency-tracking
```

```
make
```

```
make install
```

4. - Installing RRDtool

This chapter will guide you through installing RRDtool.

So let's get going:

Make sure you are logged in as root.

Install the latest version of RRDtool by issuing the following commands (*in oblique type*). Issue them one after the other making sure you do not miss any dots or slashes. Lines wrapping without line spacing are a single command.

```
mkdir -p /SourceCache
```

```
cd /SourceCache
```

```
curl -O http://oss.oetiker.ch/rrdtool/pub/  
rrdtool-1.2.23.tar.gz
```

```
tar xzf rrdtool-1.2.23.tar.gz
```

```
cd /SourceCache/rrdtool-1.2.23
```

```
cp /usr/X11R6/include/ft2build.h /usr/X11R6/include/  
freetype2/ft2build.h
```

```
MACOSX_DEPLOYMENT_TARGET=10.6 CPPFLAGS="-I/usr/X11R6/  
include/libpng12 -I/usr/X11R6/include/freetype2 -I/usr/  
local/lib -I/usr/local/include/libart-2.0 -I/usr/local -  
I/usr/X11R6" CFLAGS=" -arch i386 -arch x86_64 -arch ppc -  
g -Os -pipe -no-cpp-precomp" CCFLAGS=" -arch i386 -  
arch x86_64 -arch ppc -g -Os -pipe" CXXFLAGS=" -arch  
i386 -arch x86_64 -arch ppc -g -Os -pipe" LDFLAGS="-L/  
usr/X11R6/lib -L/usr/local/lib -arch i386 -arch x86_64 -  
arch ppc -bind_at_load" ./configure --prefix=/usr/local/  
rrdtool-1.2.23 --disable-python --disable-tcl --disable-  
ruby --disable-dependency-tracking
```

```
make
```

```
make install
```

```
rm /usr/local/rrdtool
```

(This will remove any symbolic link you may have from an older installation)

```
ln -s /usr/local/rrdtool-1.2.23 /usr/local/rrdtool
```

(This will add a symbolic link to the new RRDtool library you just installed. Makes it simpler to fall back to a different

version if needed.)

You are now all set and should have RRDtool and supporting libraries installed.

You can test if it works by doing the following:

```
cd /usr/local/rrdtool/share/rrdtool/examples
./minmax.pl
./4charts.pl
```

If RRDtool is properly installed it will create a series of .png files in the same directory.

5. - Caveats

Not that many. The most important caveat is that if building one library goes wrong, the rest of the succession will most likely not work either.

If you have tried to install one of the libraries in the past, you may have to remove and re-install them (unless you did install them as described).

If you have modified any paths and or environment variables, make sure you check them against above instructions.

That's all folks.
Hope this helps.
Have fun,
Alex

```
-----  
Doc. Version 1.0.7, 9.12.2009  
Athanasios Alexandrides  
Lugano, Switzerland  
tutorials -at- topicdesk.com  
-----
```